

BENADRYL DOSAGE TABLE

Weight	Liquid Benadryl (12.5 mg/5 ml)	Benadryl Chewable tablet (12.5 mg)	Benadryl Tablet (25 mg)
Under 22 lbs	Call the Pediatrician	Call the Pediatrician	Call the Pediatrician
22-28 lbs	$\frac{3}{4}$ tsp (3.75 ml)	Not Recommended	Not Recommended
29-41 lbs	1 tsp (5 ml)	1 chewable	Not Recommended
42-55 lbs	1.5 tsp (7.5 ml)	Not Recommended	Not Recommended
55-83 lbs	2 tsp (10 ml)	2 chewables	1 tablet
83-110 lbs	3 tsp	3 chewables	2 teaspoon (10 ml)
110 lbs and over (Adult Dose)	4 tsp (20 ml)	4 chewables	2 tablets

TYLENOL

Weight (pounds)	Children's/Infant's Oral Suspension (160mg/5ml)	Chewable Tablets (80mg/tablet)
6-11	¼ tsp or 1.25 mLs	-
12-17	½ tsp or 2.5 mLs	-
18-23	¾ tsp or 3.75 mLs	1 ½ tablets
24-35	1 tsp or 5 mLs	2 tablets
36-47	1 ½ tsp or 7.5 mLs	3 tablets
48-59	2 tsp or 10 mLs	4 tablets
60-71	2 ½ tsp or 12.5 mLs	5 tablets
72-95	3 tsp or 15 mLs	6 tablets

IBUPROFEN (ADVIL/MOTRIN) DOSAGE TABLE

Ibuprofen may be given every 6 hours

We do NOT recommend Ibuprofen drops because of potential confusion in dosing. Ibuprofen is also NOT recommended for children under 6 months of age.

Weight (pounds)	Mg of Ibuprofen	Suspension/Elixir 100mg/5mL = 1 tsp
13-17	50	½ tsp
18-21	75	¾ tsp
22-32	100	1 tsp
33-43	150	1 ½ tsp
44-59	200	2 tsp
60-71	250	2 ½ tsp
72-93	300	3 tsp